

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)  
217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2008; month=7; day=14; hr=14; min=48; sec=4; ms=190; ]

=====

Application No: 10587941 Version No: 1.0

Input Set:

Output Set:

Started: 2008-07-14 09:31:47.568  
Finished: 2008-07-14 09:31:47.885  
Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 317 ms  
Total Warnings: 4  
Total Errors: 0  
No. of SeqIDs Defined: 4  
Actual SeqID Count: 4

| Error code | Error Description                                  |
|------------|--|
| W 213      | Artificial or Unknown found in <213> in SEQ ID (1) |
| W 213      | Artificial or Unknown found in <213> in SEQ ID (2) |
| W 213      | Artificial or Unknown found in <213> in SEQ ID (3) |
| W 213      | Artificial or Unknown found in <213> in SEQ ID (4) |

# SEQUENCE LISTING

<110> MIYAHARA, Yuji  
SAKATA, Toshiya

<120> GENE DETECTION FIELD-EFFECT DEVICE AND METHOD OF ANALYZING GENE  
POLYMORPHISM THEREWITH

<130> 2006\_1275A

<140> 10587941

<141> 2008-07-14

<150> 2004-026821

<151> 2004-02-03

<150> PCT/JP2005/001987

<151> 2005-02-03

<160> 4

<170> PatentIn version 3.3

<210> 1

<211> 11

<212> DNA

<213> Artificial

<220>

<223> Synthetic Construct

<400> 1

cgtcctctga a

11

<210> 2

<211> 11

<212> DNA

<213> Artificial

<220>

<223> Synthetic Construct

<400> 2

cgtcctctga g

11

<210> 3

<211> 9

<212> DNA

<213> Artificial

<220>

<223> Synthetic Construct

<400> 3

catacacta

9

<210> 4  
<211> 9  
<212> DNA  
<213> Artificial  
  
<220>  
<223> Synthetic Construct  
  
<400> 4  
catacactg

9